

किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ— 226003 निर्माण विभाग

फोन (कुलसचिव कार्यालय): 0522-2257540 ई-मेल: eng.civil@kgmcindia.edu

1001/	The state of the s	icindia.edu .
पत्रांक: <u>788</u> То,	QUOTATION NOTICE	दिनांक: 06/01/22 Y
M/s		

The sealed quotations are invited for Water proofing work of c.i. joints and traps of toilet block including duct near echo & tmt lab at lari cardiology department KGMU. The details of quotation notice can be seen at website www.kgmu.org and on the Notice board of the office of undersigned. Registered contractors of kgmu may submit their quotations to the office of undersigned by registered post or by hand duly marked on the envelope the number and date of this notice latest by dated

Details of work as given below:-

S.No.	Particulars	Quantity	Unit Nos.	Rate
1.	Water proofing treatment for N Trap of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder. Applying chemical coating around trap in three layers up to 3to 4mm and 150mm long. Filling of chemical around trap in cutting area of floor should be 50mm thick and also including removing of existing cp jali from trap and refixing complete.	09		
2.	Water proofing treatment for P Trap of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder. Applying chemical coating around trap in three layers up to 3to 4mm and 150mm long. Filling of chemical around trap in cutting area of floor should be 50mm thick and also including removing and refixing of existing pan.	02	Nos.	
3.	Water proofing treatment for joints of C.I/PVC pipe with resin based water proofing chemical including fiber glass matt and fine powder width of chemical coating on joint not less than 250mm on any dia of pipe. Applying chemical coating on joint in three layers up to 3to 4mm thick and also including filling of gap between collar and pipe with resin based putty including fiber glass matt.	42	Nos.	
4.	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling /grouting and finishing complete as per direction of E/I.	21.98	Sqm.	

Terms & Conditions

- 1. G.S.T and labour cess shall be paid or deducted as per rules applicable.
- 2. The work will be completed within given time.
- 3. Quantity can be increase or decrease as per requirements.
- 4. Conditional quotations are liable to be rejected.
- 5. The undersigned reserves the right to reject quotations in part or whole without assigning any reason.

Yours faithfully

(Suresh Kumar) Executive Engineer (Dinesh Kumar Raj) Superintending Engineer



किंग जार्ज चिकित्सा विश्वविद्यालय उ०प्र०, लखनऊ- 226003 निर्माण विभाग

फोन (कुलसचिव कार्यालय) : 0522-2257540 ई-मेल : eng.civil@kgmcindia.edu

पत्रांकः			
431 0	No	of DT. Copy for information and necessary action to:- Registrar, King George's Medical University U.P, Lucknow. Faculty Incharge, Website Administration Data Center, PHI Bhawan, KGMU for uploa quotation Notice in KGMU. Website from date of the To. Incharge, To. Incharge, To. Incharge, Works deptt. K.G.M.U. U.P. Lucknow Sri Poshit roy, Junior Engineer, Works deptt. K.G.M.U. U.P. Lucknow Notice Board.	दिनाकः ding the
F		(Suresh Kumar) (Dinesh Kumar F Executive Engineer Superintending En	